TECH DATA SHEET

TiterSafe Hemagglutinating Particles

DESCRIPTION

Product	TiterSafe Hemagglutinating Particles, Influenza B
Catalog Number	HAP-1302
Lot	IBH-585A
Subtype	Victoria
Strain	Austria/1359417/2021
Size	200µL/vial
Packaging	DMEM
Dilution Ratio at 1 HA Unit	1:256
Dilution Ratio at 4 HA Units	1:64
HAI Austria serum dilution	1:512 (lowest serum dilution to achieve complete inhibition)
Expiration Date	December 2027

SAFETY & HANDLING

Shipping	Shipped on dry ice
Stability and Storage	Store at ≤ -80°C upon receipt.

TiterSafe particles are optimized for use in HA and HAI assays. TiterSafe particles display antigenically correct HA/NA protein pseudotyped on replication-incompetent virus particles that contain a heterologous lentiviral (HIV) core. TiterSafe particles are capable of a single round of infection. TiterSafe particles are produced in HEK-293T cells using three separate plasmids, encoding the HA protein, the NA protein, and a lentiviral gag polyprotein.

TiterSafe particles are derived from biological materials, so they should be handled with caution within a laboratory environment. TiterSafe particles are not to be used in humans or in animals raised for food.

Thaw tubes in a 37°C water bath for 1 minute and place on ice until ready to use. TiterSafe particles will appear as a translucent solution. Gently mix prior to use and pulse tube for 3 seconds at high speed in a tabletop microfuge to recover all volume from the tube. Avoid vortexing TiterSafe particles. Re-freezing of TiterSafe particles is not recommended.

Integral Molecular | 25 N. 38th Street, Suite 800, Philadelphia, PA 19104

215.966.6061
info@integralmolecular.com
www.integralmolecular.com

© Integral Molecular 2021

Version 4, Updated 10/27/2026

HA AND HAI DATA

Lot IBH-585A HA assay



Lot IBH-585A HAI assay



HA and HAI assays were performed using 1% Guinea Pig RBCs in a 96-well plate.

The HA assay was used to determine an Influenza B TiterSafe titer at 4 HA units. The titer at 4 HA units and hyperimmune serum were used to perform the HAI assay. Reported serum dilutions are defined prior to TiterSafe volume addition.